



CERTIFICATE
THE BUILDING IS DESIGNATED SAFE STRUCTURALLY FOR G+3 STORED AS PER BUILDING IS CODE 436-2000, RCC CODE 800 & IS 4326-1993 TO MAKE THE SAME EARTH QUAKE RESISTANT.

SPECIFICATION FOR INSTRUCTIONAL ADMIN
(THE ROOM SIZE FOR REF. Dept.)

Sl. No.	PARTICULARS	Floor	Width (m)	Depth (m)	AREA (sq.m)
1	CLASS ROOM I	1st	9.14	7.62	69.62
2	CLASS ROOM II	1st	7.97	7.62	60.73
3	CLASS ROOM III	2nd	9.14	7.62	69.62
4	CLASS ROOM IV	2nd	7.97	7.62	60.73
5	CLASS ROOM V	3rd	9.14	7.62	69.62
6	CLASS ROOM VI	3rd	7.97	7.62	60.73
7	TUTORIALS I	1st	8.97	5.84	49.69
8	TUTORIALS II	2nd	8.97	5.84	49.69
9	TUTORIALS III	3rd	8.97	5.84	49.69
10	LIBRARY CUM READING ROOM	1st	11.05	16.53	183.76
11	MULTIPURPOSE HALL	Gr	11.05	16.89	186.64
12	ICT	Gr	7.97	7.62	60.73
13	CURRICULUM LAB	3rd	11.05	16.82	186.76
14	ARTS CRAFT RESOURCE CNR.	3rd	8.35	16.51	137.88
15	HEALTH & PHYSICAL EDU. R.C.	2nd	11.05	16.89	186.73
16	LANGUAGE LAB	2nd	8.49	7.62	64.69
17	PRINCIPAL CHAMBER	Gr	4.57	4.88	25.32
18	H.O.D. CHAMBER	Gr	7.30	4.87	38.36
19	FACULTY ROOM	1st	7.32	9.19	67.62
20	ADM. OFFICE	Gr	8.49	7.62	64.69
21	OFFICE	Gr	4.57	7.44	34.02
22	VISITOR'S CHAMBER	Gr	7.30	4.57	33.36
23	COMMON ROOM (GIRL S)	1st	9.39	7.02	65.92
24	COMMON ROOM (BOY S)	2nd	7.32	9.19	67.27
25	COMMON ROOM (STAFF)	2nd	9.49	7.02	65.92
26	CANTINEEN	Gr	9.14	7.62	69.65
27	STORE I	2nd	6.40	3.40	21.76
28	STORE II	3rd	6.40	3.40	21.76
29	SEMINAR	2nd	9.49	7.62	64.69
30	TOILET				
31	Male				
32	Female				
33	Staff				

SPECIFICATION

- FOUNDATION - SHOWN AS PER FOUNDATION DETAILS.
- FLOOR - 25THK FLOOR FINISH OVER 15THK P.C.C.
- D.F.C. - 25THK D.F.C. AT INTL LEVEL IN C.M. MORTAR.
- LINTAL - 150THK R.C.C. LINTAL IN C.M. 1:2:4.
- ROOF - 100THK R.C.C. ROOF SLAB IN C.M. 1:2:4.
- SUPER STRUCTURE - 250THK OF 125THK 1st CLASS BRICKWORK IN C.M. MORTAR 1:2:4.
- PLASTER - 12mm THK CEMENT INTERNAL & EXTERNAL.
- SEPTIC TANK - SEPTIC TANK WILL BE FLUSHING SYSTEM.
- REINFORCEMENT - ALL REINFORCEMENT SHALL BE OF TOR STEEL OF GRADE FY 415.
- FINISHING - 2 COATS OF WHITE WASH COCA WASH.

SCHEDULE OF OPENING

SL. NO.	ITEM	TYPE	WIDTH	HEIGHT	SE LEVEL	DISCUSSION
1	DOORS	MD	2400	2100	NILL	SINGLE SHUTTER PLYSH DOOR
		D	1800	2100	NILL	
		DT	3000	2100	NILL	
		DC	900	2100	NILL	
		DD	200	2100	NILL	
2	WINDOWS	W	1800	1500	900	GLAZED WINDOW 4 LEAF
		WT	1700	1500	900	GLAZED WINDOW
3	VENTILATOR	V	600	900	1500	VENTILATOR

AREA STATEMENT

PLOT AREA AS PER SITE	3157.35	SMT.
AREA OF GROUND FLOOR	927.44	SMT.
AREA OF FIRST FLOOR	889.29	SMT.
AREA OF SECOND FLOOR	889.29	SMT.
AREA OF THIRD FLOOR	889.29	SMT.
TOTAL BUILT UP AREA	3595.31	SMT.
% ag. OF COVERED AREA	21.20	%
TOTAL F.A.R. ACHIEVED	0.63	

PROPOSED PLAN FOR EDUCATIONAL BUILDING OF RAMADHAR SINGH TEACHERS TRAINING COLLEGE, Run & Managed by: BAPJJI EDUCATIONAL AND DEVELOPMENT TRUST LOCATED AT VILLAGE - RAMDHARI, P. O. - ELMA, P. S. - EKMA, DISTRICT - SARAN (BIHAR) KHATA No. 25, PLOT No. - 1524 AREA : 0 Acres 0.78 Dec.

APPLICANT SIGNATURE
SECRETARY
R. S. Teachers Training College
Elma-841208

ENGG. SIGNATURE
[Signature]